

07

Dodge Durango



WHAT'S NEW*

SAFETY/SECURITY

- Electronic Stability Program[†] (ESP) now equipped with Trailer Sway Control – Standard on all models
- Supplemental side-curtain air bags[‡] with roll-sensing technology for outboard occupants in all seating rows – Standard on all models
- Advanced multistage driver and front passenger air bags[‡] with Low Risk Deployment (LRD)
- ParkSense[®] Rear Park Assist System[§] – Standard on Limited/Included in Power Convenience Group for SLT and Adventurer
- Active Turn Signal activates the signal with a tap. Requires less effort during lane changes

UTILITY

- YES Essentials[®] easy-clean, stain- and odor-resistant fabric – Standard on SLT cloth seats and Adventurer
- Two-passenger bucket second-row seat – Optional on SLT, Adventurer and Limited
- Heated second-row bucket seats – Optional on SLT, Adventurer and Limited
- 115-volt auxiliary power outlet – Standard on SLT, Adventurer and Limited
- Electronic Vehicle Information Center (EVIC) added to overhead console
- Express up and down front windows
- Maximum payload of 1,780 lb (4x2 SXT model with 3.7L V6 engine)
- Can accommodate four-foot-wide items in cargo area between rear wheel wells
- Available reclining second-row bench seat and three-passenger 60/40 split-folding third-row seat provide enhanced loading versatility – Standard on Limited/Optional on SLT and Adventurer

PERFORMANCE

- 5.7L HEMI[®] V8 with Multi-Displacement System – Now available on SXT 4x2
- Tire Pressure Monitoring Warning Lamp – Standard on SLT, Adventurer and Limited

STYLING

- Body-mounted front and rear fascias
- Limited front fascia now has a chrome insert
- Roof-mounted side rails with Satin Silver accents now have stainless steel accents
- Woodgrain bezels on SLT and Adventurer change from Indiana Sycamore to Maple Pommele
- Leather-wrapped center console lid – Standard on Limited
- Dual heated 6"x9" power folding mirrors – Standard on SXT, SLT and Adventurer
- 17" machined cast aluminum wheels – Standard on SXT and Adventurer
- 18" cast aluminum wheels – Standard on SLT
- 20" chrome-clad cast aluminum wheels – Optional on SLT G and Limited
- P265/50R20 black sidewall, all-season tires – Optional on SLT G and Limited

PRODUCT HIGHLIGHTS*

- Dodge Durango earned the highest U.S. Government frontal crash test rating (★★★★★)[†]
- Dodge Durango has the most powerful lineup of engines^{**} and the most interior room in its class^{**}
- Best-in-class^{**} horsepower and torque, the 5.7L HEMI V8 engine with Multi-Displacement System provides 335 hp and 370 lb-ft of torque
- Best-in-class^{**} trailer towing capability
- Best-in-class^{**} payload
- Choice of four engines:
 - 3.7L Magnum[®] V6 4x2 (16 city/21 highway EPA est. mpg)
 - 4.7L Magnum V8 4x2 (14 city/19 highway EPA est. mpg)
 - 4.7L Magnum V8 4x4 (14 city/18 highway EPA est. mpg)
 - 5.7L HEMI V8 with Multi-Displacement System 4x2 (15 city/20 highway EPA est. mpg)
 - 5.7L HEMI V8 with Multi-Displacement System 4x4 (14 city/19 highway EPA est. mpg)

- 5.7L Multi-Displacement System (MDS) on HEMI V8. MDS turns our powerful HEMI V8 engine into a fuel-saving four cylinder at cruising speeds^{††} – Optional on SXT, SLT, Adventurer and Limited
- 4.7L Flexible Fuel Magnum V8 (E85 compatible); 45 states – Optional
- 102.4 cu ft of cargo capacity with the second- and third-row seats folded and 20.1 cu ft with the seats up
- Four-wheel disc antilock brakes – Standard on all models
- Electronic Stability Program (ESP)[†] with Brake Assist, all-speed traction control, Electronic Roll Mitigation (ERM) and Trailer Sway Control (TSC) – Standard on all models
- Supplemental side-curtain air bags[‡] with roll sensing technology for outboard occupants in all seating rows – Standard on all models
- Heavy-Duty Service Group
- Hydroformed frame with octagonal front rail tips provides strength and durability
- Adjustable lumbar support
- Full-screen navigation system with GPS and MP3 capability – Optional on Limited
- UConnect[®] Hands-Free Communication System – Optional on SLT, Adventurer and Limited
- SIRIUS Satellite Radio includes one year of service provided by SIRIUS – Standard on Adventurer, SLT G and Limited/Optional on SXT and SLT E
- Dual zone automatic temperature controls – Standard on Limited

FLEET ONLY OPTIONS

- Clean Fuel Fleet Label
- Delete third-row seat
- Sentry Key[®] anti-theft engine immobilizer
- 3.92 axle ratio
- Daytime running lamps
- Two-speed transfer case

* Not all features are standard. See Features, Options and Packages chart for details.

[†] No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt.

[‡] Always use seat belts. Children 12 and under should always be in a backseat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and weight.

[§] Always check entire surroundings before backing up.

[¶] Based on NHTSA's 2006 model-year ratings.

^{**} Based on 2005 *Automotive News* classification. Excludes performance package vehicles. When properly equipped.

^{††} 14 city to 20 highway, EPA est. mpg with MDS. Results depend on driving habits and conditions.



COLOR & TRIM

Exterior Colors	Interior Colors			
	SLT/ Limited	SXT	Adventurer	SLT/ Limited
	Khaki		Slate Gray	
Bright Silver Metallic	•	•	•	•
Bright White	•	•	•	•
Brilliant Black Crystal Pearl	•	•	•	•
Inferno Red Crystal Pearl	•	•	•	•
Light Khaki Metallic	•			
Marine Blue Pearl ⁽¹⁾		•	•	•
Mineral Gray Metallic		•		•
Steel Blue Metallic ⁽¹⁾		•		•

⁽¹⁾ New for 2007.

POWERTRAINS

Engine	Transmission		4-Wheel-Drive Transfer Case (4x4 Models)	
	4-speed automatic	5-speed automatic	Single- speed NV144	Full-time NV244 GEN II
3.7L Magnum® V6 210 hp @ 5,200 rpm 235 lb-ft of torque @ 4,000 rpm	S			
4.7L FFV Magnum V8/Magnum V8 235 hp @ 4,500 rpm 300 lb-ft of torque @ 3,600 rpm		S	S	O/L
5.7L HEMI® V8 with Multi-Displacement 335 hp @ 5,200 rpm 370 lb-ft of torque @ 4,200 rpm		S		S

S = Standard. O = Optional. L = Fleet only limited production option.

DIMENSIONS^(1,2)/SPECIFICATIONS

Exterior		
Wheelbase		119.2
Track	– Front	64.4
	– Rear	64.5
Overall Length		200.8
Overall Width w/o mirrors		76.0
Overall Height		73.5
Load Floor Height		33.7
Ground Clearance (front/rear axle)		7.1 / 7.9
Approach Angle (degrees)		24.0
Breakover Angle (degrees)		19.3
Departure Angle (degrees)		27.7
Max GVWR (lb)		6,700
Fuel Tank Capacity (gal)		27.0
EPA Fuel Economy est. ⁽³⁾ (city/highway)	3.7L Magnum V6	
	– 4x2	16/21
	4.7L Magnum V8	
	– 4x2	14/19
	– 4x4	14/18
	5.7L HEMI V8 with Multi-Displacement	
	– 4x2	15/20
	– 4x4	14/19
Towing Capacity – Max (lb)		8,950
Interior		
Seating Capacity – Max		8
Front	– Head Room	40.8
	– Leg Room	41.4
	– Hip Room	58.8
	– Shoulder Room	59.6
2nd Row	– Head Room	39.2
	– Leg Room	37.4
	– Hip Room	57.2
	– Shoulder Room	59.6

DIMENSIONS^(1,2)/SPECIFICATIONS (CONT.)

3rd Row (available)	– Head Room	39.2
	– Leg Room	34.5
	– Hip Room	48.0
	– Shoulder Room	58.9

Interior volume (cu ft)

All seats up	20.1
3rd-row seat folded	68.4
Rear seats folded	102.4

⁽¹⁾ Inches unless otherwise specified.

⁽²⁾ With standard wheels.

⁽³⁾ 2006 ratings.

STANDARD ON ALL 2007 DURANGO MODELS:

Active Turn Signals – Activate the signal with a tap. Requires less effort during lane changes

Air Bags*

- Advanced multistage driver and front passenger air bags with Low Risk Deployment (LRD)
- Supplemental side-curtain air bags with roll sensing technology offer additional protection to outboard occupants in all seating rows in the event of a collision

Air Conditioning

Antenna – Fixed, spiral wound

Assist Handles – Front-passenger A-pillar-mounted and second-row B-pillar-mounted

Axle – Front, 205-mm (4x4 models)

Brake-Park Interlock – Prevents an automatic transmission from being shifted out of Park unless the brake pedal is applied

Brakes – Four-wheel disc antilock equipped with electronic sensors that prevent wheel lockup, offering improved steering control under extreme braking and/or slippery conditions

Cargo-Area Tie-Down Loops – Two

Carpet – Floor and cargo area

Child Seat Anchor System (LATCH) – Lower child seat anchors and upper tether anchors help ease the installation of compatible aftermarket child seats

STANDARD ON ALL 2007 DURANGO MODELS (CONT.):

Console – Floor with additional power outlet

Defroster – Rear-window

Electronic Stability Program[†] (ESP) – Includes Brake Assist, all-speed traction control, Electronic Roll Mitigation (ERM) and Trailer Sway Control (TSC)

Floor Mats – Front and rear

Fuel Tank – 27-gallon

Glass – Front door and windshield tinted, deep-tinted sunscreen rear door and window

Grille – Chrome

Headlamps – Halogen

Horn – Electric, dual-note

Jack – Scissor-type

Lamps – Front overhead dual reading lamps, flood on liftgate, rear center high-mounted stop, glove box

Locks – Power

Power Outlets – Three total: two 12-volt outlets, one in the front instrument panel and one in the rear cargo area; additional outlet included in front center console

Remote Keyless Entry – Includes panic alarm and two key fobs

Shock Absorbers – Front and rear heavy-duty

Spare Tire – Full-size

Speed Control – Electronic with steering wheel-mounted controls

Speedometer – 120-mph

Steering – Power rack-and-pinion

Steering Column – Tilt

Suspension – Independent front, solid rear axle with coil springs and Watt's link

TIP Start – Quick start prevents double starts, preserves battery, ignition and gear life

Transfer Case – Full-time AWD system (4x4 models)

Windows – Power, front one-touch

Windshield Wiper System – Front and rear variable intermittent mode

* Certified to the Federal Regulation for automatic passenger occupant classification. Always use seat belts. Children 12 and under should always be in a backseat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child's age and weight.

[†] No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Please always wear your seat belt.



SELECTED FEATURES, OPTIONS AND PACKAGES

	SXT	SLT	Adventurer	SLT	Limited
Engine	C	E	F	G	J
3.7L Magnum® V6 ⁽¹⁾	22C	22E			
4.7L FFV Magnum V8; 45 states	25C	25E	25F	25G	25J
4.7L Magnum V8	26C	26E	26F	26G	26J
5.7L HEMI® V8 with Multi-Displacement System	L-28C ⁽¹⁾	28E	28F	28G	28J
Active Turn Signals – Activate the signal with a tap. Requires less effort during lane changes	•	•	•	•	•
Air Bags ⁽²⁾					
– Advanced multistage driver and front passenger air bags with Low Risk Deployment (LRD)	•	•	•	•	•
– Supplemental side-curtain air bags with roll-sensing technology offer additional protection to outboard occupants in all seating rows in the event of a collision	•	•	•	•	•
Air Conditioning					
– Dual zone automatic temperature control					•
– Rear with heater (requires 3rd-row bench seat on SXT) (HBB)	O	•	•	•	•
Alternator					
– 136-amp	•				
– 160-amp (included with Heavy Duty Service Group or rear air conditioning)	P	•	•	•	•
Antenna – Fixed, spiral wound	•	•	•	•	•
Assist Handles – Front-passenger A-pillar-mounted and 2nd-row B-pillar-mounted	•	•	•	•	•
Axle					
– Rear, 8.25 (requires 3.7L Magnum V6 on 4x2 models)	•	•	•	•	• ⁽³⁾
– Rear, 9.25 ⁽¹⁾ (included with 4.7L Magnum V8 and 5.7L HEMI V8 with Multi-Displacement System engines)	P	P	P	P	•
– Front, 205-mm ⁽³⁾	•	•	•	•	•
Axle Ratio					
– 3.55:1 (included with 4.7L Magnum V8 and 5.7L HEMI V8 with Multi-Displacement System engines)	P ⁽¹⁾ /• ⁽³⁾	P ⁽¹⁾ /• ⁽³⁾	P ⁽¹⁾ /• ⁽³⁾	P ⁽¹⁾ /• ⁽³⁾	•
– 3.92:1 (available with V8 engine) (DMH)	• ⁽¹⁾ /L	• ⁽¹⁾ /O	• ⁽¹⁾ /O	• ⁽¹⁾ /O	O
Battery					
– 600-amp	•				
– 750-amp (included in the Heavy-Duty Service Group or rear air conditioning)	P	•	•	•	•
Brake-Park Interlock – Prevents an automatic transmission from being shifted out of Park unless the brake pedal is applied	•	•	•	•	•
Brakes – 4-wheel disc antilock	•	•	•	•	•
Cargo-Area Tie-Down Loops – 2	•	•	•	•	•
Carpet – Floor and cargo area	•	•	•	•	•
Child Seat Anchor System (LATCH) – Lower child seat anchors and upper tether anchors help ease the installation of compatible aftermarket child seats	•	•	•	•	•
Console					
– Overhead with HomeLink® Universal Transceiver, garage door opener and Electronic Vehicle Information Center (EVIC): compass, temperature, trip odometer, average fuel economy, distance to empty, and elapsed time (included with the Interior Convenience Group)		P	P	•	•
– Floor (includes 12-volt auxiliary power outlet)	•	•	•	•	
– Floor with leather armrest (includes 12-volt auxiliary power outlet)					•
Defroster – Rear-window	•	•	•	•	•
Electronic Stability Program ⁽⁴⁾ (ESP) – Includes Brake Assist, all-speed traction control, Electronic Roll Mitigation (ERM) and Trailer Sway Control (TSC)	•	•	•	•	•
Engine Block Heater (NHK)	O	O	O	O	O
Fascias					
– Front and rear, Deep Gray	•				
– Front and rear, body-color		•		•	
– Front and rear, Mineral Gray Metallic			•		
– Front with chrome insert and rear, body-color					•
Floor Covering – Rear cargo area			•		

SELECTED FEATURES, OPTIONS AND PACKAGES (CONT.)	SXT	SLT	Adventurer	SLT	Limited
	C	E	F	G	J
Floor Mats					
– 2 front and 2 rear	•	•		•	
– Rubber, 2 front and 2 rear			•		
– 2 premium front with Durango logo and 2 rear					•
Fog Lamps – 2 integrated in front fascia		•	•	•	•
Fuel Tank – 27-gallon	•	•	•	•	•
Glass – Front door and windshield tinted, deep-tinted sunscreen deep-tinted sunscreen rear door and window	•	•	•	•	•
Grille – Chrome	•	•	•	•	•
Headlamps					
– Automatic (included with the Interior Convenience Group)		P	P	•	•
– Daytime running lamps (LM1)	L	L	L	L	L
– Halogen	•	•	•	•	•
Heavy-Duty Service Group – Includes 160-amp alternator, 750-amp battery, auxiliary transmission cooler and power steering cooler (included with the Trailer Tow Group)	P	P	P	P	P
Horn – Electric, dual-note	•	•	•	•	•
Instrument Clusters					
– Includes speedometer, tachometer, oil temperature and fuel gauge	•				
– Includes speedometer, tachometer, oil temperature and fuel gauge with Satin Silver accent rings		•	•	•	•
Instrument Panel Bezels					
– Black	•				
– Maple Pommele woodgrain finish		•	•	•	
– Satin Silver finish					•
Interior Convenience Group – Includes overhead console, illuminated visor vanity mirrors, rear courtesy and reading lamps, automatic headlamps, console flood lamp and cargo net (AFH)		O	O	•	•
Jack – Scissor-type	•	•	•	•	•
Label – Clean Fuel Fleet (not available with 4.7L Magnum V8; 45 states) (XKC)	L	L	L	L	L
Lamps					
– Rear-passenger overhead reading lamp (not available with the Interior Convenience Group)	•	•	•		
– Front overhead dual reading lamps, flood on liftgate, rear center high-mounted stop, glove box	•	•	•	•	•
License Plate Brow					
– Deep Gray	•				
– Chrome		•	•	•	•
Liftgate – Power (included with Power Convenience Group) (JRC)		P	P	P	•
Locks – Power	•	•	•	•	•
Memory System – Automatically recalls position presets for driver's exterior mirror, radio, driver's seat, power adjustable pedals, and HVAC system					•
Mirrors					
Exterior					
– Dual heated 6"x9" power folding	•	•	•	•	
– Dual heated 6"x9" power folding with memory and driver-side auto-dimming					•
Interior					
– Rearview day/night	•	•	•	•	
– Rearview auto-dimming					•
– Rearview auto-dimming (included with UConnect® Hands-Free Communication System)		P	P	P	P
Organizer – Rear cargo			•		
ParkSense® Rear Park Assist System ⁽⁵⁾ – Included with Power Convenience Group		P	P	P	•
Pedals					
– Power adjustable; allow brake and accelerator pedals to move toward or away from the driver (XAP)		O	O	O	
– Power adjustable with Memory System					•

SELECTED FEATURES, OPTIONS AND PACKAGES (CONT.)	SXT	SLT	Adventurer	SLT	Limited
	C	E	F	G	J
Power Convenience Group – Includes power liftgate and ParkSense® Rear Park Assist ⁽⁵⁾ (requires Interior Convenience Group) (AJP)		0	0	0	•
Power Outlet					
– 115-volt auxiliary		•	•	•	•
– 3 total: Two 12-volt outlets, one in the front instrument panel and one in the rear cargo area; additional outlet included in front center console	•	•	•	•	•
Radios					
– AM/FM stereo radio with CD player	•	•			
– AM/FM stereo radio with integrated 6-disc CD changer with MP3 capability (RAQ)	0	0	•	•	•
– AM/FM stereo radio with integrated 6-disc CD changer and MP3 capability, integrated full-screen DVD-based GPS Navigation System (REC)					0
Remote Keyless Entry – Includes panic alarm and 2 key fobs	•	•	•	•	•
Remote Start System – (Includes Sentry Key®) (XBM)		0	0	0	0
Running Boards					
– Deep Gray (MRN)	0	0		0	
– Mineral Gray (MRM)					0
Seats					
– Low-back cloth bucket	•				
– Premium low-back cloth bucket with YES Essentials® easy-clean fabric		•	•	•	
– Low-back premium leather-trimmed bucket					•
– Low-back leather-trimmed bucket (includes leather-wrapped steering wheel) (*CJ)		0	0	0	
– Power 8-way driver's		•	•	•	
– Power 8-way driver's memory and power 4-way front-passenger					•
– Heated front bucket (JPM)		0	0	0	•
– Heated 2nd-row (requires 2nd-row bucket seats and heated front seats) (JPZ)		0	0	0	0
– 2nd-row bucket 2-passenger (includes rear floor console; requires leather-trimmed seats and heated 2nd-row on Limited) (CFU)		0	0	0	0
– 2nd-row 40/20/40 Fold-and-Tumble (NAW leather-trimmed seats)	•	•	•	•	
– 2nd-row 40/20/40 Fold-and-Tumble reclining (included with leather-trimmed seats)		P	P	P	•
– 3rd-row bench, folds flat into rear cargo area (CFP)	0	•	•	•	
– 3rd-row 60/40 split-folding bench, folds flat into rear cargo area with one-hand operation (included with leather-trimmed seats) (CFG)		O/P	O/P	O/P	•
– Delete 3rd-row seat (must have Slate Gray interior) (CF9)		L	L	L	
Security Alarm – Integrated vehicle alarm system				•	•
Sentry Key® – Antitheft engine immobilizer with 2 encoded keys (included with Remote Start System) (GXX)	L	L/P	P	•	•
Shock Absorbers – Front and rear heavy-duty	•	•	•	•	•
Side Rails					
– Roof-mounted, Black	•	•		•	
– Roof-mounted, Black with Stainless Steel accents			•		•
SIRIUS Satellite Radio System – Includes one year of service provided by SIRIUS (requires an Alpine Premium Sound System and rear air conditioning) (RSA)	0	0	•	•	•
Skid Plate Group ⁽³⁾ – Includes tow hooks and skid plates for the fuel tank and transfer case (ADL)	0	0	0	0	0
Spare Tire – Full-size	•	•	•	•	•
Speakers					
– 4 total, one in each door	•	•	•		
– Alpine Premium Sound System I with 8 speakers and 276 watts of power (RGC)		0	0	•	
– Alpine Premium Sound System II with 8 speakers plus a subwoofer and 368 watts of power (RGD)				0	•
Speed Control – Electronic with steering wheel-mounted controls	•	•	•	•	•
Speedometer – 120-mph	•	•	•	•	•
Steering – Power rack-and-pinion	•	•	•	•	•

SELECTED FEATURES, OPTIONS AND PACKAGES (CONT.)	SXT	SLT	Adventurer	SLT	Limited
	C	E	F	G	J
Steering Column – Tilt	•	•	•	•	•
Steering Wheel					
– 4-spoke with integrated speed controls	•	•	•		
– Leather-wrapped 4-spoke with integrated speed controls (included with leather-trimmed seats or Alpine Premium Sound Systems)		P	P	•	•
– Steering wheel-mounted audio controls (included with Alpine Premium Sound Systems)		P	P	•	•
Sun Visors					
– Dual with vanity mirror and slide feature	•	•	•		
– Dual with illuminated vanity mirror and slide feature (included in the Interior Convenience Group)		P	P	•	•
Sunroof – Power with express-open and vent (requires Interior Convenience Group) (GWA)		O	O	O	O
Suspension – Independent front, solid rear axle with coil springs and Watt’s linkage	•	•	•	•	•
Throttle – Electronically controlled (included with 3.7L V6 or 5.7L HEMI® V8 engine with Multi-Displacement System)	P	P	P	P	P
TIP Start – Quick start, prevents double starts, preserves battery, ignition and gear life	•	•	•	•	•
Tire Pressure Monitoring Warning Lamp		•	•	•	•
Tires					
– P245/70R17 BSW, on-/off-road	•				
– P265/65R17 OWL, on-/off-road			•		
– P265/60R18 BSW, on-/off-road (included with 18"x8.0" wheels)		•		•	•
– P265/60R18 OWL, on-/off-road (requires 18"x8.0" wheels) (TP6)				O	O
– P265/50R20 BSW, all-season (included with 20" wheel)				P	P
Trailer Tow Group – Includes a Class IV receiver hitch, 7- and 4-pin wiring harness, and the Heavy-Duty Service Group (requires 4.7L Magnum® V8 or 5.7L HEMI V8 with Multi-Displacement System engines; mirrors not included on Limited) (AHC)	O	O	O	O	O
Trailer Tow Group, Light-Duty ⁽¹⁾ – Includes a receiver hitch and a 7- and 4-pin wiring harness (requires 3.7L Magnum V6 engine) (AHT)	O	O			
Transfer Case					
– Full-time AWD system ⁽³⁾ (requires 4.7L Magnum V8 engine)	•	•	•	•	•
– Full-time AWD system ⁽³⁾ with low-range (included with 5.7L HEMI V8 engine with Multi-Displacement System) (DHU)	L	O/P	O/P	O/P	O/P
Tubular Side Steps – Metal finish with textured step pads			•		
UConnect® Hands-Free Communication System (Includes auto-dimming rearview mirror; requires Interior Convenience Group and Alpine Premium Sound System) (RSP)		O	O	O	O
Wheels					
– 17"x8.0" machined-face cast aluminum	•		•		
– 18"x8.0" cast aluminum		•		•	
– 18"x8.0" chrome-clad cast aluminum					•
– 20"x8.0" chrome-clad cast aluminum (WP2)				O	O
Windows – Power, front one-touch	•	•	•	•	•
Windshield Wiper System – Front and rear variable intermittent mode	•	•	•	•	•

• = Included. P = Available within package noted. O = Optional. L = Fleet only limited production option.

⁽¹⁾ 4x2 models only.

⁽²⁾ Certified to the Federal Regulation for automatic passenger occupant classification. Always use seat belts. Children 12 and under should always be in a backseat correctly using an infant or child restraint system, or the seat belt positioned correctly for the child’s age and weight.

⁽³⁾ 4x4 models only.

⁽⁴⁾ No system, no matter how sophisticated, can repeal the laws of physics or overcome careless driving actions. Performance is limited by available traction, which snow, ice and other conditions can affect. When the ESP warning lamp in the speedometer flashes, the driver needs to use less throttle and adapt speed and driving behavior to prevailing road conditions. Always drive carefully, consistent with conditions. Always wear your seat belt.

⁽⁵⁾ Always check entire surroundings before backing up.